## THE AMENDED CLAIMS

1	1.	(currently amended) A swimsuit comprising:		
2		(a)	a loop adapted to at least partially encircle a human waist;	
3		(p)	a fastening device which couples a first part of a body of the swimsuit to a second part of	
4			the swimsuit body, the first and second parts not being on the loop; and	
5		(c)	a storage compartment on the swimsuit body which compactly stows the body;	
6		wherei	n the loop is positioned relative to the swimsuit body so that when said fastening device is	
7		engage	d, the swimsuit may be worn by a human.	
8				
1	2.	(previously presented) The swimsuit of claim 1 wherein said loop is adapted to completely		
2		encircle	e said human waist.	
3				
. 1	3.	(original) The swimsuit of claim 1 wherein said loop is selected from the group consisting of (i) a		
2		decorat	tive chain, and, (ii) a tubular member.	
3				
1	4.	(previously presented) The swimsuit of claim 1 wherein the loop comprises a chain made of a		
2		materia	al resistant to corrosion.	
3				
1	<b>5</b> .	(currently amended) A method of removing a swimsuit separable at at least one point by a		
2		fastening device while leaving it attached to a human body, comprising:		
3		(a)	decoupling at least one fastening device on a body of the swimsuit and separating a first	
4			part of the body of the swimsuit from a second part of the body of the swimsuit the first	
5			and second parts not being on the loop;	
6		(p)	compacting the body of the swimsuit into a small space;	
7		(c)	storing the compacted body of the swimsuit using at least one storage	
8			compartment on the body of the swimsuit; and	
9		(d)	using a loop at least partially encircling the human body for supporting the	
10			swimsuit on the human body.	

Fax:7132668510

11				
1	6.	(original) The method of claim 5 wherein the storing of the compacted body of the swimsuit using		
2		the at least one storage compartment is performed through an opening at an end of the at least one		
3		storage compartment.		
4				
1	7.	(original) The method of claim 5 wherein the at least one storage compartment comprises two		
2		storage compartments.		
3				
1	8.	canceled		
2				
1	9.	canceled		
2				
1	10.	canceled.		
2				
1	11.	(currently amended) A swimsuit comprising:		
2		(a)	a loop adapted to at least partially encircle a human waist;	
3		<b>(b)</b>	a body having a front end and a rear end, the front end having a width greater than the	
4			rear end;	
5		(c)	a single fastener for which detachably coupling couples the rear end of the body to said	
6			loop; and	
7		(d)	a storage compartment on the front of the swimsuit for compactly stowing the body;	
8		wherein the loop is positioned relative to the swimsuit body so that when said		
9		fastener is attached, the swimsuit may be worn by a human.		
10				
1	12.	(original) The swimsuit of claim 11 wherein said loop is adapted to completely encircle said		
2		human waist.		
3				

1 13. (original) The swimsuit of claim 11 wherein said loop is selected from the group consisting of (i)
2 a decorative chain, and, (ii) a tubular member.

3

1 14. (previously presented) The swimsuit of claim 11 wherein the loop comprises a chain made of a material resistant to corrosion.

3